

Dryzone®

Keep MSD extremely dry.

Help MSD to comply with J-STD-033B and assure the best quality during soldering process.



www.dryzone.com.tw




DZ1001


XDL series

XDL series is specially designed to keep the environment in the cabinet under 5%RH that is suitable for storing electronic Moisture Sensitive Devices(MSD), chemicals, precision mechanical parts, optical lens, medicine, herb....etc.

Humidity Range: $\leq 5\%RH$



Humidity stabilizes at $\leq 5\%RH$



Recovery time to $\leq 5\%RH$: < 30 mins

Thermo-Hygrometer



■ German made

Turbo Dryer




- Nearly maintenance free
- CE compliant
- Continuous dehumidification when power failure happens

Antistatic Glass

Antistatic 3" Wheel

Adjustable Level Screw



Humidity Range: $\leq 5\%RH$

XDL-200



Capacity: 202L
External Dimension: W600xD672xH632mm
Internal Dimension: W598xD645xH524mm
Shelves: 2 units (size: W555xD530xH20mm/unit)
Power Consumption: Ave. 55Wh; Max. 295W

XDL-315



Capacity: 334L
External Dimension: W905xD452xH1045mm
Internal Dimension: W903xD425xH869mm
Shelves: 3 units (size: W860xD310xH20mm/unit)
Power Consumption: Ave. 55Wh; Max. 295W

XDL-575



Capacity: 607L
External Dimension: W905xD800xH1045mm
Internal Dimension: W903xD773xH869mm
Shelves: 3 units (size: W860xD645xH20mm/unit)
Power Consumption: Ave. 55Wh; Max. 295W

Humidity Range: $\leq 5\%RH$

XDL-400



Capacity: 413L
External Dimension: W600xD672xH1274mm
Internal Dimension: W598xD645xH1071mm
Shelves: 3 units (size: W555xD530xH20mm/unit)
Power Consumption: Ave. 55Wh; Max. 295W

XDL-600



Capacity: 624L
External Dimension: W600xD672xH1820mm
Internal Dimension: W598xD645xH1618mm
Shelves: 5 units (size: W555xD530xH20mm/unit)
Power Consumption: Ave. 55Wh; Max. 295W

XDL-1200-6



Capacity: 1250L
External Dimension: W1200xD672xH1820mm
Internal Dimension: W1198xD645xH1618mm
Shelves: 5 units (size: W1155xD530xH20mm/unit)
Power Consumption: Ave. 105Wh; Max. 585W